

```

::
:: Copyright (c) JSServices LLC. All rights reserved.
::
:: Starting at STEP 1 please follow the steps below to
:: successfully modify this batch file.
::

```

```
@ECHO OFF
```

```
IF [%1]==[] GOTO Help
:: IF [%1]==[] GOTO RunTemplate1
```

```

:: -----
:: STEP 1
::
:: If the JSGet utility was installed in the default directory then this
:: step can be skipped.
::
:: If the default installation directory was changed when JSGet was
:: installed then modify the JSGetDirectory variable below to the location
:: of the JSGet.exe executable.
:: -----
::

```

```
SET JSGetDirectory="%ProgramFiles%\JSServices\JSGet"
SET JSGetOutputDirectory="%HOMEPATH%\Documents"
SET RunSilentFlag=%2
```

```
IF [%1]==[1] GOTO :RunTemplate1
IF [%1]==[2] GOTO :RunTemplate2
IF [%1]==[3] GOTO :RunTemplate3
IF [%1]==[4] GOTO :RunTemplate4
IF [%1]==[5] GOTO :RunTemplate5
IF [%1]==[101] GOTO :RunTemplate101
IF [%1]==[102] GOTO :RunTemplate102
IF [%1]==[103] GOTO :RunTemplate103
IF [%1]==[104] GOTO :RunTemplate104
```

```
Goto Help
```

```

:: -----
:: STEP 2
::
:: Modify the templates below to meet your needs:
:: - First modify the Title variable by providing a brief description of
:: the purpose for the template.
:: - Second modify the Command variable with the required JSGet command
:: parameters.
::
:: NOTE: Look at the EXAMPLE COMMAND PARAMETERS below to help you with
:: formatting the input parameters if needed.
:: -----
::

```

```
:RunTemplate1
```

```
SET Title=Running Template 1 - User Defined
SET Command=%JSGetDirectory%\JSGet -help
CALL :Run
GOTO :End
```

```
:RunTemplate2
```

```
SET Title=Running Template 2 - User Defined
SET Command=%JSGetDirectory%\JSGet -help
CALL :Run
GOTO :End
```

```
:RunTemplate3
```

```
SET Title=Running Template 3 - User Defined
SET Command=%JSGetDirectory%\JSGet -help
CALL :Run
GOTO :End
```

```
:RunTemplate4
```

```
SET Title=Running Template 4 - User Defined
SET Command=%JSGetDirectory%\JSGet -help
CALL :Run
GOTO :End
```

```
:RunTemplate5
```

```
SET Title=Running Template 5 - User Defined
SET Command=%JSGetDirectory%\JSGet -help
CALL :Run
GOTO :End
```

```

::
:: -----
:: EXAMPLE COMMAND PARAMETERS

```

```

:: -----
::
:: Create new Excel, XML, and JSON data files using the dashboard format with latest JSAnalytics.
:: The files will be saved in the users documents directory using a JSData_<datetime stamp>
filename format.
:RunTemplate101
SET Title=Running Example Template 101 - Daily JSSheet Dashboard
SET Command=%JSGetDirectory%\JSGet -outputView=3 -outputType=excel,xml,json -outputDirectory=
%JSGetOutputDirectory%
CALL :Run
GOTO :End

:: Create a new Excel data file using the JSDesktop coloration style with the latest JSAnalytic
data.
:: The files will be saved in the users documents directory using a JSData_<datetime stamp>
filename format.
:RunTemplate102
SET Title=Running Example Template 102 - Daily JSDesktop Dashboard
SET Command=%JSGetDirectory%\JSGet -outputView=3 -outputStyle=2 -outputType=excel
-outputDirectory=%JSGetOutputDirectory%
CALL :Run
GOTO :End

:: Create a new or update an existing TT Overlay Excel data file with latest JSAnalytics.
Because overlay
:: files are used to link with third-party applications this template uses the same filename
and excel
:: worksheet name when overwriting the existing file.
:RunTemplate103
SET Title=Running Example Template 103 - Daily TT Overlay Spreadsheet
SET Command=%JSGetDirectory%\JSGet -overwrite -outputView=11 -outputType=excel -outputFilename=
"JSData_TTOveraly_Daily" -outputExcelSheet="TTOverlay" -outputDirectory=%JSGetOutputDirectory%
CALL :Run
GOTO :End

:: Create new Excel and XML data files that only contains JSAnalytics for two contracts: ES and
NQ within a
:: certain data range. The XML file will be indented for easier viewing. The files will be
saved in the
:: users documents directory using a JSData_<datetime stamp> filename format.
:RunTemplate104
SET Title=Running Example Template 104 - Daily Filtered JSSheet Dashboard
SET Command=%JSGetDirectory%\JSGet -outputView=3 -outputType=excel,xml -outputDirectory=
%JSGetOutputDirectory% -indent -symbolShow=ES,NQ -dateLatest=09/01/2015 -dateOldest=08/30/2015
CALL :Run
GOTO :End

::
:: -----
:: DO NOT MODIFY BELOW THIS LINE
:: -----
::

:Run
IF [%RunSilentFlag%]==[/S] ( CALL :RunSilent ) ELSE ( CALL :RunNormal )
GOTO :EOF

:RunSilent
%Command% -silent
GOTO :EOF

:RunNormal
ECHO.
ECHO %Title%
ECHO.
ECHO %Command%
ECHO.
ECHO.
%Command%
ECHO.
GOTO :EOF

:Help
ECHO.
ECHO.
ECHO JSGetStart, Version 0.9.8
ECHO Starts the JSGet utility with preset parameters.
ECHO.
ECHO.
ECHO Usage: %~n0 template_number_to_run /S
ECHO.
ECHO Where: "template_number_to_run" number of the JSGet template
ECHO that will be executed.
ECHO.
ECHO /S optional parameter to run this

```

ECHO batch file and JSGet without any  
ECHO output.  
ECHO.  
ECHO.  
ECHO For more information please visit our website:  
ECHO <http://jsservices.trade>  
ECHO.  
ECHO.

**:End**